

- 0 - 1

Revision Date: 06.03.2025

Date of last issue: 02.01.2023

Print Date 06.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Version 4.1

1.1 Product identifier

Trade name : RASO grey

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Italia S.p.A.
		Via Luigi Einaudi 6
		20068 Peschiera Borromeo
Telephone	:	+39 02 54778 111
Telefax	:	+39 02 54778 119
E-mail address of person responsible for the SDS	:	EHS@it.sika.com

1.4 Emergency telephone number

CAV Napoli – Azienda Ospedaliera A. Cardarelli - Tel. 0817472870 CAV Firenze - Az.Osp.Careggi U.O. Tossicologia Medica - Tel. 0557947819 CAV Pavia - Centro Naz.le d'informazione Tossicologica - Tel. 038224444 CAV Milano - Ospedale Niguarda Ca' Grande - Tel. 0266101029 CAV Bergamo - Azienda Ospedaliera Papa Giovanni XXIII - Tel. 800883300 CAV Roma - Policlinico Umberto I - Tel. 0649978000 CAV Roma - Policlinico Agostino Gemelli - Tel. 063054343 CAV Foggia - Az. Osp. Universitaria Riuniti - Tel. 0881732326 CAV Roma - Ospedale Pediatrico Bambino Gesù - Tel. 0668593726 CAV Verona - Az. Osp. Universitaria di Borgo Trento - Tel. 800011858

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Skin sensitisation, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Country IT 000000134367

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

RASO grey



Revision Date: 06.03.2025 Date of last issue: 02.01.2023			Version 4.1	Print Date 06.03.2025
Hazard pictograms	:	LE		
Signal word	:	Danger	•	
Hazard statements	:	H315 H317 H318 H335	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements	:	P101 P102	If medical advice is needed, ha container or label at hand. Keep out of reach of children.	ive product
		Prevention	1:	
		P271	Use only outdoors or in a well- ea.	
		P280	Wear protective gloves/ eye proprotection.	otection/ face
		Response:	:	
		P305 + P35	51 + P338 + P310 IF IN EYES: Rin: with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- / to do. Con-
		Disposal:		
		P501	Dispose of contents/container i with local regulation.	in accordance

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



RASO grey

Revision Date: 06.03.2025	Version 4.1
Date of last issue: 02.01.2023	

Print Date 06.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Registration number		· · ·	
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40	
	266-043-4	Eye Dam. 1; H318		
		Skin Sens. 1; H317		
		STOT SE 3; H335		
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 3 - < 5	
-	215-137-3	Eye Dam. 1; H318		
	01-2119475151-45-	STOT SE 3; H335		
	XXXX	(Respiratory system)		
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 60 - < 80	
	238-878-4			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

RASO grey



Revision Date: 06.03.2025Version 4.1Print Date 06.03.2025Date of last issue: 02.01.2023Version 4.1Print Date 06.03.2025

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Cough
	Respiratory disorder
	Allergic reactions
	Excessive lachrymation
	Erythema
	Dermatitis
	See Section 11 for more detailed information on health effects
	and symptoms.
Risks	: irritant effects
	sensitising effects
	Causes skin irritation.
	May cause an allergic skin reaction.
	Causes serious eye damage.
	May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prodNo hazardous combustion products are known ucts 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Avoid breathing dust.
		Deny access to unprotected persons.

RASO grey



Revision Date: 06.03.2025 Date of last issue: 02.01.2023	Version 4.1	Print Date 06.03.2025
6.2 Environmental precautions Environmental precautions	: Do not flush into surface water or sanitar	y sewer system.
6.3 Methods and material for co	ntainment and cleaning up	
Methods for cleaning up	: Pick up and arrange disposal without cre Keep in suitable, closed containers for di	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date: 06.03.2025

Date of last issue: 02.01.2023

Version 4.1

Print Date 06.03.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (Respirable particulate matter)	0,025 mg/m3	ACGIH
		TWA (Respirable particulate matter)	0,025 mg/m3 (Silica)	ACGIH
		TWA (Respirable particulate matter)	0,025 mg/m3	ACGIH
		TWA (Respirable particulate matter)	0,025 mg/m3 (Silica)	ACGIH
Cement, portland, chemicals	65997-15-1	TWA (Respirable particulate matter)	1 mg/m3	ACGIH
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inforn	nation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA (Respirable fraction)	1 mg/m3	IT OEL
		STEL (Respirable fraction)	4 mg/m3	IT OEL
		TWA	5 mg/m3	ACGIH

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Hand protection		Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection Respiratory protection		Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. In case of inadequate ventilation wear respiratory protection.
	•	in succes of management for man of woar roopingtory protocion.

RASO grey



Revision Date: 06.03.2025 Date of last issue: 02.01.2023	Version 4.1	Print Date 06.03.2025
	Respirator selection must be based on kn exposure levels, the hazards of the produ ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous sub- Ensure adequate ventilation. This can be exhaust extraction or by general ventilatio ods for determining inhalation exposure). ticular to the mixing / stirring area. In case to keep the concentrations under the occu limits then respiration protection measures	ct and the safe work- stances achieved by local on. (EN 689 - Meth- This applies in par- e this is not sufficent upational exposure
Environmental exposure co	ntrols	
General advice	: Do not flush into surface water or sanitary	[,] sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

mormation on basic physical	all	u chemical properties
Physical state Appearance Colour Odour	: :	solid powder grey characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	axe	losive limits
Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 10 (20 °C) Concentration: 50 %
Viscosity		
Viscosity, kinematic	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

RASO grey



Revision Date: 06.03.2025 Date of last issue: 02.01.2023	Version 4.1	Print Date 06.03.2025
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 1,35 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available SECTION 10: Stability and r	activity	
10.1 Reactivity		
-	n under conditions of normal use.	
10.2 Chemical stability The product is chemically s	ble.	
10.3 Possibility of hazardous	actions	
Hazardous reactions	: No hazards to be specially ment	ioned.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	

10.5 Incompatible materials

Materials to avoid	:	No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

:

Acute toxicity

Not classified due to lack of data.

RASO grey

Jika®

Print Date 06.03.2025

Version 4.1

Revision Date: 06.03.2025 Date of last issue: 02.01.2023

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

RASO grey



Revision Date: 06.03.2025Version 4.1Print Date 06.03.2025Date of last issue: 02.01.2023Version 4.1Print Date 06.03.2025

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

luct:

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
 Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RASO grey



Revision Date: 06.03.2025 Date of last issue: 02.01.2023 Version 4.1

Print Date 06.03.2025

SECTION 14: Transport information

14.1 UN number or ID number

ADR		Not regulated as a dangerous good		
ABR	·	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legis	slation	specific for the substance or mixture
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

RASO grey



Revision Date: 06.03.2025 Date of last issue: 02.01.2023	Version 4.1		Print Date 06.03.2025
REACH - Restrictions on the manuf the market and use of certain dange mixtures and articles (Annex XVII)		lo N	Conditions of restriction for the fol- owing entries should be considered: Number on list 47: Cement, port- and, chemicals
REACH - Candidate List of Substar Concern for Authorisation (Article 5	, .		None of the components are listed (=> 0.1 %).
REACH - List of substances subject (Annex XIV)	t to authorisation :	Ν	Not applicable
Regulation (EU) No 2024/590 on supplete the ozone layer	ibstances that de- :	Ν	Not applicable
Regulation (EU) 2019/1021 on pers tants (recast)	istent organic pollu- :	Ν	Not applicable
Regulation (EU) No 649/2012 of the ment and the Council concerning th of dangerous chemicals		Ν	Not applicable
jor-accident hazards involving dang		nt a	and of the Council on the control of ma-
Volatile organic compounds : L	aw on the incentive tax f	for	volatile organic compounds

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Other regulations:

Legislative Decree April 9,2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



RASO grey

Revision Date: 06.03.2025 Date of last issue: 02.01.2023 Version 4.1

Print Date 06.03.2025

SECTION 16: Other information

Full text of H-Statements	
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H335	May cause respiratory irritation.
Full text of other abbreviation	
	-
Eye Dam. :	Serious eye damage
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT SE :	Specific target organ toxicity - single exposure
2017/164/EU :	Europe. Commission Directive 2017/164/EU establishing a
	fourth list of indicative occupational exposure limit values
ACGIH :	USA. ACGIH Threshold Limit Values (TLV)
IT OEL :	Italy. List of indicative limit values for professional exposure to
	chemical agents.
2017/164/EU / STEL :	Short term exposure limit
2017/164/EU / TWA :	Limit Value - eight hours
ACGIH / TWA :	8-hour, time-weighted average
IT OEL / TWA :	8 hour exposure limit
IT OEL / STEL :	Short term exposure limit
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
-	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC :	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative
	/ · ·····



Print Date 06.03.2025

Further information

Date of last issue: 02.01.2023

Revision Date: 06.03.2025

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Version 4.1

Changes as compared to previous version !

IT / EN